

At this time, **Vistive® Gold soybeans** have received full approval for planting in the United States but have not yet received import approval in certain export markets. While certain export approvals are pending, **Vistive® Gold soybeans** will be available in limited geographies only to growers who have signed a 2016 Vistive® Gold Soybean Grain Production Grower Agreement and agree to follow the stewardship requirements. Upon receipt of appropriate approvals, Monsanto will inform growers and determine whether the stewardship requirements will need to remain in place.

Monsanto Company is a member of Excellence Through Stewardship® (ETS). Monsanto products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Monsanto's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. This product has been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

B.t. products may not yet be registered in all states. Check with your Monsanto representative for the registration status in your state.

IMPORTANT IRM INFORMATION: RIB Complete® corn blend products do not require the planting of a structured refuge **except** in the Cotton-Growing Area where corn earworm is a significant pest. **See the IRM/Grower Guide for additional information. Always read and follow IRM requirements.**

Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Roundup Ready® crops contain genes that confer tolerance to glyphosate, the active ingredient in Roundup® brand glyphosate-only agricultural herbicides. Roundup® brand glyphosate-only agricultural herbicides will kill crops that are not tolerant to glyphosate. **Tank mixtures:** The applicable labeling for each product must be in the possession of the user at the time of application. Follow applicable use instructions, including application rates, precautions and restrictions of each product used in the tank mixture. Monsanto has not tested all tank mix product formulations for compatibility or performance other than specifically listed by brand name. Always predetermine the compatibility of tank mixtures by mixing small proportional quantities in advance. Acceleron and Design®, DroughtGard®, Genuity Design®, Genuity Icons, Genuity®, RIB Complete and Design®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready 2 Yield®, Roundup Ready PLUS®, Roundup Ready®, Roundup®, SmartStax®, Vistive®, VT Double PRO® and VT Triple PRO® are trademarks of Monsanto Technology LLC. Deltapine® is a registered trademark of Monsanto Company. Channel® and the Arrow Design® and Seedsmanship At Work® are registered trademarks of Channel Bio, LLC. LibertyLink and the Water Droplet Design® is a registered trademark of Bayer. Herculex® is a registered trademark of Dow AgroSciences LLC. Respect the Refuge and Corn Design® is a registered trademark of National Corn Growers Association. All other trademarks are the property of their respective owners. ©2016 Monsanto Company.



Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Monsanto Technology Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements.



Lessons learned on cover crops

BY MARK LICHT AND LIZ JUCHEMS

COVER crops are an important component of the Iowa Nutrient Reduction Strategy, which calls for a high level of adoption to reach the goals of reducing nitrate-nitrogen and phosphorus in our Iowa rivers, streams, other bodies of water and, ultimately, the Gulf of Mexico.

Landowners and farmers are increasingly seeing the value of single-species cover crops and incorporating them into their cropping systems. However, in Iowa and the Upper Midwest, there has been limited research on using cover crop mixtures. Here's what



CEREAL RYE: At the Southwest Iowa ISU Research Farm, this plot was seeded to cereal rye in fall 2015.



ANOTHER MIX: Oats dominated the mixture that included radish and hairy vetch in this test at the Southwest ISU Research Farm, which was seeded in fall 2015.

we've learned so far.

In theory, cover crop mixtures have the same advantages as natural ecosystems like prairies, which are diverse mixtures of species. To evaluate that theory, the Iowa Cover Crop Working Group established cover crop mixture plots at six ISU Research and Demonstration sites and nine farmer-partner sites.

The ISU sites established plots in two corn and soybean rotation fields by hand-broadcast seeding the cover crop. In each field, the following treatments were replicated for a total of 24 plots: single-species cover crop, cover crop mixture and no cover control. The farmer-partner sites had two treatments: an aerially seeded cover mixture and a no cover control, which were replicated four times at each site, for a total of eight plots on each farm.

Preceding the corn crop, the single-species was oats, and the mix contained hairy vetch, oats and radish. Preceding the soybean crop the single-species was rye, and the mix contained rapeseed, rye and radish. The ISU sites were established for the fourth season in late August and the farmer-partner sites were seeded in fall of 2014 and 2015.

To evaluate the establishment of the cover crops and compare the treatments,



COVER MIXTURE: At the Muscatine County farmer-partner site, this cover crop field plot was seeded with rye, radish and rapeseed in fall 2015.

fall and spring biomass samples were collected from each site and sorted by species. Analyses generated these conclusions:

- Oats and cereal rye had resulted in the majority of the biomass from mixture treatments (all sites).

- Cereal rye was the only cover crop to consistently overwinter (all sites).

- Single species (cereal rye and oats) had greater total fall biomass growth than the mixtures (ISU sites).

- Cereal rye seeded as a single species had greater total spring biomass growth than the mixture treatment (ISU sites)

For a corn and soybean rotation in Iowa, oats and cereal rye work better than any other species evaluated in this project. The single-species treatment (oats and cereal rye) resulted in more total biomass than the mixtures, and dominated within the mixture treatments. Lower biomass from mixture species (radish, rapeseed and hairy vetch) is likely due to slower establishment and limited growing degree days after harvest.

The greater biomass generated by the oats and cereal rye as a single-species than the mixtures is providing better soil erosion protection and larger potential reductions of nitrogen and phosphorus.

This project is funded by USDA Natural Resources Conservation Service through a National Conservation Innovation Grant and The Leopold Center for Sustainable Agriculture.

Licht is an ISU Extension cropping systems agronomist; Juchems is events coordinator for Iowa Learning Farms.

